Notice of Allowability	Application No.	Applicant(s)
	10/654,732	OHTAKI ET AL
	Examiner	Art Unit
	Jean B. Corrielus	2611
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in to the commun of the community of	his application. If not included ication will be mailed in due course. THIS
1. This communication is responsive to the phone interview	dated 12/7/07.	
2. The allowed claim(s) is/are 1-6, 8-10, renumbered as 1-9	<u>, respectively</u> .	
Acknowledgment is made of a claim for foreign priority of a)      All b) □ Some* c) □ None of the:     1. □ Certified copies of the priority documents have 2. □ Certified copies of the priority documents have 3. □ Copies of the certified copies of the priority documents have a copies of the priority documents.	ve been received. ve been received in Application	No
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be subin INFORMAL PATENT APPLICATION (PTO-152) which given the subin process of the su	MENT of this application.  mitted. Note the attached EXAN	MINER'S AMENDMENT or NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mu	ust he submitted	
(a) ☐ including changes required by the Notice of Draftspe		PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		( · · · · · · · · · · · · · · · · · · ·
(b) ☐ including changes required by the attached Examine Paper No./Mail Date		n the Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the the header according to 37 CFR	drawings in the front (not the back) of 1.121(d).
<ol> <li>DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT</li> </ol>		
Attachment(s)		
1. Notice of References Cited (PTO-892)	<u></u>	rmal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	) 6. ⊠ Interview Sun Paper No./M	nmary (PTO-413), lail Date
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's A	mendment/Comment
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's S	tatement of Reasons for Allowance
	9. 🗌 Other	Primary Examiner Art Unit: 2611

Application/Control Number: 10/654,732 Page 2

Art Unit: 2611

## **EXAMINER'S AMENDMENT**

1. An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 12/7/07 Siller Gustavo requested an extension of time for 2 MONTH(S) and authorized the Director to charge Deposit Account No. 23-1925 the required fee of \$450.00 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## **IN THE CLAIMS:**

The claims have been amended as indicated in the attached copy of proposed claim amendment from applicant's representative.

The following is an examiner's statement of reasons for allowance: an OFDM demodulator is disclosed. The closest prior art, applicant's admitted prior art fig. 4 discloses similar method and apparatus. However, applicant's admitted prior art does not teach, in combination with the other claimed limitations, the limitations of "a first phase shifter for each antenna group each having a first input coupled to the second antenna of each antenna group, an output of each first phase shifter and an output of the first antenna of each antenna group being combined in a respective one of a

demodulator"

plurality of first adders to provide the respective time domain baseband signal to each of the OFDM demodulators; a first control circuit for each antenna group each coupled to an output of the respective one of the plurality of first adders and to a second input of each first phase shifter; a second phase shifter having a first input coupled to an output of a second OFDM demodulator that is different from a first OFDM demodulator among the OFDM demodulators; a second control circuit coupled to an output of the plurality of OFDM demodulators and to a second input of the second phase shifter; a second adder coupled to an output of the second phase shifter and an output of the first OFDM

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Monday-Thursday from 9:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571-272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/654,732 Page 4

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jean B Corrielus Primary Examiner Art Unit 2611

12-7-07

Revised Proposed Claims for submission as Examiner's Amendment

## Amendments to the Claims:

(Currently Amended) An <u>orthogonal frequency division multiplexing</u>

(OFDM) receiver comprising:

at least four antennas to receive an OFDM modulated high frequency signal;

a plurality of OFDM demodulators [[to]] each of which a configured to receive a respective time domain baseband signal of a time domain thereto generated based on the high frequency signal is input and from each of which a and to output a respective frequency domain baseband signal of a frequency domain is output, wherein each OFDM demodulator is coupled to a respective antenna group, each antenna group containing at least two of the at least four antennas;

a first phase shifter for each antenna group each having a first input coupled to the [[a]] second antenna of each antenna group, an output of [[the]] each first phase shifter and an output of [[a]] the first antenna of each antenna group being combined in a respective one of a plurality of first adders adder to provide the respective time domain baseband signal to each of the OFDM demodulators;

a first control circuit <u>for each antenna group each</u> coupled to an output of the <u>respective one of the plurality</u> of first <u>adders</u> adder and to a second input of each first phase shifter;

a second phase shifter <u>having a first input</u> coupled to an output of a second OFDM demodulator that is different from a first OFDM demodulator among the OFDM demodulators;[[,]]

a second control circuit coupled to an output of the plurality of OFDM demodulators and to a second input of the second phase shifter;

a second adder coupled to an output of the second phase shifter and an output of the second <u>first</u> OFDM demodulator, wherein

a signal is diversity-synthesized by the first phase <u>shifter</u> shifter until the <u>respective time domain</u> baseband signal of the time domain is inputted to each of the OFDM demodulators, and the <u>frequency domain</u> baseband signal <u>output by the second OFDM demodulator</u> of the frequency domain is diversity-synthesized by the second phase shifter.

- 2. (Currently Amended) The OFDM receiver according to claim 1, wherein the time domain baseband signal generated based on the high frequency signal of the time domain based on the high frequency signal received by the second a first antenna in each of the antenna groups, and the baseband signal of the time domain based on the high frequency signal received by a second antenna different from the first antenna are is diversity-synthesized by the first phase shifter of said antenna group.
- 3. (Currently Amended) The OFDM receiver according to claim 2, wherein each antenna in each antenna group is coupled to a <u>respective one of a</u>

plurality of receiving portions pertion each configured to [[that]] frequency-convert eenverts the high frequency signal to [[an]] a respective intermediate frequency signal and a plurality of A/D converters each coupled to a respective one of the plurality of receiving portions for converting an A/D converter that converts the respective intermediate frequency signal to a respective digital signal is coupled to each of the receiving portions, wherein an output of the digital signal output by the a second A/D converter corresponding to the second antenna of each antenna group is coupled to the first phase shifter of said antenna group and an output of a first the digital signal output by the A/D converter corresponding to the first antenna of each antenna group is coupled to the first adder of said antenna group.

- 4. (Currently Amended) The OFDM receiver according to claim 1, wherein an intermediate frequency signal generated based on the high frequency signal received by the second a first antenna in each of the antenna groups and an intermediate frequency signal based on the high frequency signal received by a second antenna different from the first antenna are is diversity-synthesized by the first phase shifter of said antenna group.
- 5. (Currently Amended) The OFDM receiver according to claim 4, wherein each antenna in each antenna group is coupled to a <u>respective one of a plurality of receiving portions portion each configured to [[that]] frequency-convert converts the high frequency signal to [[the]] a respective intermediate frequency</u>

signal, and an output the intermediate frequency signal of a first one of the receiving portions corresponding to the first antenna of each antenna group is coupled to the first adder of said antenna group and an output the intermediate frequency signal of a second one of the receiving portions corresponding to the second antenna of each antenna group is coupled to the first phase shifter of said antenna group.

6. (Currently Amended) The OFDM receiver according to claim 1, wherein the high frequency signal received by a first antenna in each of the antenna groups, and the high frequency signal received by a second antenna different from the first antenna are is diversity-synthesized by the first phase shifter of said antenna group.

## 7. (Cancelled)

- 8. (Currently Amended) The OFDM receiver according to claim 3, further wherein each of the first control circuits comprising power detector to detect electric power of the time domain baseband signal of the time domain and a phase controller to control phase setting of each respective one of said the first phase shifters shifter to maximize the electric power.
- 9. (Currently Amended) The OFDM receiver according to claim 5, further wherein each of the first control circuits comprising a power detector to

detect electric power of the <u>time domain</u> baseband signal of the time domain and a phase controller to control phase setting <u>of each respective one of said</u> the of the first phase <u>shifters</u> shifter to maximize the electric power.

10. (Currently Amended) The OFDM receiver according to claim 6, further wherein each of the first control circuits comprising a power detector to detect electric power of the time domain baseband signal of the time domain, and a phase controller to control phase setting of each respective one of said the first phase shifters shifter to maximize the electric power.

11-12. (Cancelled)